INDEX TO VOLUME 68, (PART A), 1990

AUTHORS AND PAPERS		Decloux, M. (see Ozcan, N. G.) Dennis, J. S. (see Fawkner, R. D.)	63 69
A		Diwekar, U. M. (see Logsdon, J. S.)	434
Abrardi, V., Rovero, G., Baldi, G., Sicardi, S. and Conti, R.,		Dizy, J. (see Bueno, J. L.)	391
Hydrodynamics of a gas-liquid reactor stirred with a multi-		Dubdub, I., Hughes, R. and Price, D., Kinetics of in situ	
impeller system	516	combustion of Athabascan tar sands studied in a differential	
Acharya, D. R. (see Li, K.)	558	flow reactor	342
Adewusi, V. A., A preliminary study of steam-caustic process		Dudley, J. W. O. (see Greaves, M.)	331
for heavy oil recovery	350	Dunn, I. J. (see Nishiwaki, A.)	387
Agarwal, P. K. (see Wildegger-Gaissmaier, A. E.)	251		
Allen, R. M. and Bakker H. H. C., Correction of bias in particle		F	
sizing of sprays using a laser diffractometer	172	Fawkner P D Kluth P P and Dennie I S Bubble	
Alonso, M. (see Satoh, M)	149	Fawkner, R. D., Kluth, P. P. and Dennis, J. S., Bubble	69
Alvarez, R. (see Bueno, J. L.)	391	formation at orifices in pulsed, flowing liquids	09
Amiri, M. C. and Woodburn, E. T., A method for the		Feyo de Azevedo, S., Romero-Ogawa, M. A. and Wardle, A.	
characterisation of colloidal gas aphron dispersions	154	P., Modelling of tubular fixed-bed catalytic reactors: a brief	402
Attwood, E. T. (see Wakeman, R. J.)	161	review Foulage P. Nordes P. and Sools C. Beleting assemblistics for	483
		Foulser, R., Naylor P. and Seale, C., Relative permeabilities for	
B		the gravity stable displacement of waterflood residual soil by	207
Bahmanyar, H., Chang-Kakoti, D. K., Garro, L., Liang, T-B.		gas	307
and Slater, M. J., Mass transfer from single drops in rotating		Free convection mass transfer in hemispherical cavities,	206
disc, pulsed sieve plate and packed liquid-liquid extraction		Sedahmed G. H. and Nirdosh, I.	295
columns	74	Freeth, A. (see Brown, S.)	384
Baird, M. H. I. (see Latto, B.)	457		
Bakker, H. H. C. (see Allen, R. M.)	172	G	
Baldi, G. (see Abrardi, V.)	516	Gani, R., Perregaard, J. and Johansen, H., Simulation strategies	
Bertrand, J. (see Poux, M.)	278	for design and analysis of complex chemical processes	407
Best, R. J., Process simulation using parallel computers	418	Garro, L. (see Bahmanyar, H.)	74
Biddulph, M. W. and Kalbassi, M. A., A new column for		Garside, J. (see Tavare, N. S.)	115
measurement of multicomponent distillation design efficien-		Greaves, M. and Dudley, J. W. O., In situ combustion	
cies	453	processes: Reaction rate parameters from combustion tube	
Biegler, L. T. (see Logsdon, J. S.)	434	experiments	331
Biscans, B. (see Poux, M.)	278	Guedes de Carvalho, J. R. F. (see Burmester, S. S. H.)	510
Bourne, J. R. and Hilber, C. P., The productivity of micromix-		Guedes de Carvalho, J. R. F. (see Pinto, A. M. F. R.)	503
ing-controlled reactions: Effect of feed distribution in stirred		Guo, Tian-Min (see Wang, Xiao-Mei)	316
tanks	51	Out, Main train (see trains, Main tries)	510
Bourne, J. R. (see Nishiwaki, A.)	387		
Brown M. W., Lee, P. L., Sullivan, G. R. and Zhou, Weibiao,	501	H	
A constrained nonlinear multivariable control algorithm	464	Harding, G. H. L. and Nedderman, R. M., The flight-free	
Brown, S. and Freeth, A., Research and development activity	101	vibrating conveyor: Part 2. Stability analysis and criteria for	
at the Petroleum Science and Technology Institute	384	optimal design	131
Bruxelmane, M. (see Ozcan, N. G.)	63	Harding, G. H. L. (see Nedderman, R. M.)	123
Bueno, J. L., Dizy, J., Alvarez, R. and Coca, J., Generalized		Hargreaves, J. H. and Silvester, R. S., Computational fluid	
correlation for prediction of gas diffusion coefficients based		dynamics applied to the analysis of deoiling hydrocyclone	
on the corresponding states principle	391	performance	365
Burmester, S. S. H., Coelho, M. A. N. and Guedes de Carvalho,		Hartland, S. (see Jeelani, S. A. K.)	271
J. R. F., Transverse dispersion in granular beds: part IV—		Hidajat, K. and Ching, C. B., Simulation of the performance	
mass transfer around an active cylinder with the axis perpen-		of a continuous counter-current adsorption system by the	
dicular to the flow direction in a packed bed	510	method of orthogonal collocation with non-linear and inter-	
diediai to the new direction in a packed sed	210	acting adsorption isotherms	104
C		Hilber, C. P. (see Bourne, J. R.)	51
Carpenter, K. J., A blend of micro-gravity, crystals, viscosity,		Hughes, R. (see Dubdub, I.)	342
turbulence and multiple phases with biotechnology, chemical		Hughes, R. (see Li, K.)	558
reaction and a smattering of experience: A review of	7		
Mixing 12		I	
Chan, S. W. (see Stubington, J. F.)	195	Jamialahmadi, M. and Muller-Steinhagen, H., Effects of elec-	
Chang-Kakoti, D. K. (see Bahmanyar, H.)	74	trolyte concentration on bubble size and gas hold-up in	
Ching, C. B. (see Hidajat, K.)	104	bubble columns	202
Coca, J. (see Bueno, J. L.)	391	Jeelani, S. A. K., Ramaswami, S. and Hartland, S., Effect of	
Coelho, M. A. N. (see Burmester, S. S. H.)	510	binary coalescence on steady-state height of semi-batch	
	516		271
Conti, R. (see Abrardi, V.)	210	foams	211
D		Jegede, F. O. (see Polley, G. T.)	407
Dandekar A (cae Danech A)	325	Johansen, H. (see Gani, R.) Jomha, A. I. and Woodcock, L. V., Effects of oscillatory shear	407
Dandekar, A. (see Danesh, A.)	325		550
Danesh, A., Todd, A. C., Somerville, J. and Dandekar, A.,		on the steady-flow of shear thickening suspensions Jones, G. L. and Patzer II, J. F., Slurry shale process optimiz-	550
Direct measurement of interfacial tension, density, volume and compositions of gas-condensate systems	325	ation and reactor design	523
Dawe, R. A. (see Marsland, S. D.)	357	Joshi, J. B. (see Ranade, V. V.)	19, 34
ACCUTED AN AR TONE ITEMS CHARLES, W. L. J.	201	www.nail at the frame assessment	

K		Pearse, B. A. and Thomas, N. H., Structure and force transients	
Kalbassi, M. A. (see Biddulph, M. W.)	453	of bubble shedding from rotating stirrers	57
Kawase, Y. and Moo-Young, M., Mass transfer at a free		Perregaard, J. (see Gani, R.)	407
surface in stirred tank bioreactors	189	Pinto, A. M. F. R. and Guedes de Carvalho, J. R. F.,	
Kelsall, G. H. (see Marsland, S. D.)	357	Transverse dispersion in granular beds: part III—mass trans-	
Kluth, P. P. (see Fawkner, R. D.)	69	fer around particles dispersed in granular beds of inerts and	
Kuye, A. (see Ogboja, O.)	445	the combustion of carbon particles in beds of sand	503
		Polley, G. T., Panjeh Shahi, M. H. and Jegede, F. O., Pressure	
L		drop considerations in the retrofit of heat exchanger	
Latto, B., Papple, M. L. C., Shoukri, M. and Baird, M. H. I.,		networks	211
Mixing of thermally stratified fluids by injecting a series of	400	Poux, M., Biscans, B. and Bertrand J., Simulation of the	000
vortex rings—a numerical simulation	457	isoelectric focusing process in a recycling free-flow cell	278
Lee, P. L. (see Brown, M. W.)	464	Price, D. (see Dubdub, I.)	342
Li, K., Acharya, D. R. and Hughes, R., Simulation of gas	660		
separation in an internally staged permeator	558	Q	
Liang, T-B. (see Bahmanyar, H.)	74	Quiroga, O. D. (see Villa, L. T.)	547
Liapis, A. I. (see O'Shea, J. D.) Linnhoff, B., Smith, R. and Williams, J. D., Optimisation of	242		
process changes and utility selection in heat integrated pro-		R	
cesses, The	221	Ramaswami, S. (see Jeelani, S. A. K.)	271
Logsdon, J. S., Diwekar, U. M. and Biegler, L. T., On the	441	Ranade, V. V. and Joshi, J. B., Flow generated by a disc	10
simultaneous optimal design and operation of batch distilla-		turbine. Part I—Experimental	19
tion columns	434	Flow generated by a disc turbine. Part II—Mathematical	24
Lutcha, J. and Nemcansky, J., Performance improvement of	454	modelling and comparison with experimental data	34
tubular heat exchangers by helical baffles	263	Romero-Ogawa, M. A. (see Feyo de Azevedo, S.)	483
tabala neat enemangers by hencar ballies	200	Rovero, G. (see Abrardi, V.)	516
M			
Macchietto, S., Odele, O. and Omatsone, O., Design of optimal		S	
solvents for liquid-liquid extraction and gas absorption		Satoh, M., Alonso, M., Shigemura, T., Miyanami, K. and	
processes	429	Suzuki, T., Agitator design and optimum operating	
Mann, R. and Wasilewski, M. C., Towards a fractal computer	100	conditions for a new type of powder mixer	149
graphic basis for characterisation of catalyst pore structure		Scott, K., Influence of adsorption in electrochemical reaction	
by image reconstruction	177	modelling, The	537
Marsland, S. D., Dawe, R. A. and Kelsall, G. H., An electro-		Seale, C. (see Foulser, R.)	307
chemical approach to oil reservoir souring	357	Sedahmed, G. H. and Nirdosh, I., Free convection mass	005
Matchett, A. J. and Sheikh, M. S., An improved model of		transfer in hemispherical cavities	295
particle motion in cascading rotary dryers	139	Sharratt, P. N., Computational Fluid Dynamics and its appli-	
Miyanami, K. (see Satoh, M.)	149	cation in the process industries	13
Moo-Young, M. (see Kawase, Y.)	189	Sheikh, M. S. (see Matchett, A. J.)	139
Muller-Steinhagen, H. (see Jamialahmadi, M.)	202	Shigemura, T. (see Satoh, M.)	149
		Shoukri, M. (see Latto, B.)	457
N		Sicardi, S. (see Abrardi, V.)	516
Naylor, P. (see Foulser, R.)	307	Silvester, R. S. (see Hargreaves, J. H.)	356
Nedderman, R. M. and Harding, G. H. L., The flight-free		Slater, M. J. (see Bahmanyar, H.)	74
vibrating conveyor: Part 1. Basic theory and performance		Smith, J. M., Industrial needs for mixing research	3
analysis	123	Smith, R. (see Linnhoff, B.)	221 325
Nedderman, R. M. (see Harding, G. H. L.)	131	Somerville, J. (see Danesh, A.) Stubington, J. F. and Chan, S. W., On the phase location	343
Nemcansky, J. (see Lutcha, J.)	263	and rate of volatiles combustion in bubbling fluidized bed	
Nirdosh, I. (see Sedahmed, G. H.)	295	combustors	195
Nishiwaki, A., Dunn, I. J. and Bourne, J. R., Optimal mixing		Su, Y. F. (see Zhang, S. H.)	84
conditions for a steady-state bioreactor with substrate limited		Sullivan, G. R. (see Brown, M. W.)	464
microbial growth	387	Suzuki, T. (see Satch, M.)	149
Nocentini, M., Mass transfer in gas-liquid, multiple-impeller		Suzuki, 1. (see Satell, 141.)	147
stirred vessels: a discussion about experimental techniques for		T	
$K_{\rm L}a$ measurement and models comparison	287	Ton T.C. A modified NPTI model for predicting the effect	
		Tan, T. C., A modified NRTL model for predicting the effect	
0		of dissolved solute on the vapour-liquid equilibrium of	93
Odele, O. (see Macchietto, S.)	429	solvent mixtures	93
Ogboja, O. and Kuye, A., A procedure for the design and		Tan, T. C., Heat vaporisation and the solute-solvent interaction	
optimisation of sieve trays	445	parameters for predicting the effect of dissolved solute on the	106
Omatsone, O. (see Macchietto, S.)	429	vapour-liquid equilibrium of solvent mixtures	185
O'Shea, J. D. and Liapis, A. I., Evaluation of simple and		Tavare, N. S. and Garside, J., Simulation of reactive precipi-	116
complex models for mass transfer in the non-isothermal gas		tation in a semi-batch crystallizer Thomas, N. H. (see Pearse, B. A.)	115
adsorption of multiple adsorbates in a single adsorbent		Todd, A. C. (see Danesh, A.)	325
particle	242	rodu, A. C. (see Dallesli, A.)	343
Ovenston, A. and Walls, J. R., Generation of heat in composite	855	V	
catalytic materials in RF fields	530		
Ozcan, N. G., Decloux, M. and Bruxelmane, M., Effect of		Villa, L. T. and Quiroga, O. D., Note on a non-catalytic	647
viscosity on cavity formation and power characteristics of an	12	gas-solid reaction model, A	547
agitated aerated Newtonian fluid	63	11/	
P		W	
	211	Wakeman, R. J. and Attwood E. T., Simulations of dispersion	
Panjeh Shahi, M. H. (see Polley, G. T.)	211	phenomena in filter cake washing	161
Papple, M. L. C. (see Latto, B.) Patzer II, J. F. (see Jones, G. L.)	457	Walls, J. R. (see Ovenston, A.)	530
Paul, R. C., Environmentally responsible approach to energy	523	Wang, Xiao-Mei and Guo, Tian-Min, Experimental and mod-	
management, An	227	elling studies on the phase behaviour of nitrogen-injected	216
management, All	237	hydrocarbon systems	316

		, , , , , , , , , , , , , , , , , , , ,
Vang, Z. M. (see Zhang, S. H.)	84	Constrained nonlinear multivariable control algorithm, A,
Vardle, A. P. (see Feyo de Azevedo, S.)	483	Brown, M. W., Lee, P. L., Sullivan, G. R. and Zhou, Weibiao
Vasilewski, M. C. (see Mann, R.)	177	constraints
Vildegger-Gaissmaier, A. E. and Agarwal, P. K., Drying and	***	conversion
devolatilization of large coal particles under pyrolysis con-		conveying
ditions	251	conveyor
	221	
Villiams, J. D. (see Linnhoff, B.)		Correction of bias in particle sizing sprays using a laser
Vinter, P., Perspectives on computer aided process engineering	403	diffractometer, Allen, R. M. and Bakker, H. H. C.
Voodburn, E. T. (see Amiri, M. C.) Voodcock, L. V. (see Johma, A. I.)	154 550	crystallization crystallizer
		D
hang, S. H., Wang, Z. M. and Su, Y. F., Mass transfer and		debottlenecking
interfacial turbulence in a laminar film: Study of transferring		density
two solutes separately and simultaneously through liquid-		deoiling hydrocyclone
liquid interface	84	design
nou, Weibiao (see Brown, M. W.)	464	Design of optimal solvents for liquid-liquid extraction and
		gas absorption processes, Macchietto, S., Odele, O. and
		Omatsone, O.
TITLES AND VENNIADES DAD DADES		design and optimisation of sieve trays
TITLES AND KEYWORDS FOR PAPERS		differential reactor
		diffusion
		Direct measurement of interfacial tension, density, volume and
tivated carbon	242	compositions of gas-condensate systems, Danesh, A., Todd,
sorption	537	A. C., Somerville, J. and Dandekar, A.
sorption in a single particle	242	disc turbine 19
ration	63	
itation	63	dispersion 13,
itator design	149	dispersion model
gitator design and optimum operating conditions for a new		dispersion (radial) 503,
type of powder mixer, Satoh, M., Alonso, M., Shigemura, T.,		dissipated power
Miyanami, K. and Suzuki, T.	149	dissolved solute 93,
	350	distillation
kalinity propagation		draft-tube
hron	154	drying
plications	13	Drying and devolatilization of large coal particles under
thabascan tar sands	342	pyrolysis conditions, Wildegger-Gaissmaier, A. E. and
tached bubbles	57	Agarwal, P. K.
		dusty-gas model
		dynamic simulation
affles	263	-,
atch distillation columns	434	
nary coalescence	271	E
oreactor	387	Effect of binary coalescence on steady-state height of semi-
		batch foams, Jeelani, S. A. K., Ramaswami, S. and
ade forces	57	Hartland, S.
lend of micro-gravity, crystals, viscosity, turbulence and		Effect of electrolyte concentration on bubble size and gas
multiple phases with biotechnology, chemical reaction		hold-up in bubble columns, Jamialahmadi, M. and Muller-
and a smattering of experience: A review of Mixing 12, A,	_	Steinhagen, H.
Carpenter, K. J.	7	Effects of oscillatory shear on the steady-flow of shear thicken-
ubble columns	202	ing suspensions, Jomha, A. I. and Woodcock, L. V.
ubble formation	69	effect of surfactants
ubble formation at orifices in pulsed, flowing liquids,		Effect of viscosity on cavity formation and power characteristics
Fawkner, R. D., Kluth, P. P. and Dennis, J. S.	69	of an agitated aerated Newtonian fluid, Ozcan, N. G.,
	9, 202	
		Decloux, M. and Bruxelmane, M.
		Electrochemical approach to oil reservior souring, An,
	400	Marsland, S. D., Dawe, R. A. and Kelsall, G. H.
AD	403	electrochemical reaction
ke washing	161	electrolyte 202
arbon combustion	503	electromagnetic (heating)
	7, 530	electrophoresis
athodic deposition	295	energy 211
	13	energy balance
		enhanced oil recovery 307, 325
	407	
nemical process	407 237	enhancement factor
nemical process nemicals		enhancement factor enviroment
hemical process hemicals poal	237 195	
hemical process hemicals oal oal devolatilization	237 195 251	enviroment Environmentally responsible approach to energy management,
nemical process nemicals nemic	237 195 251 251	environment Environmentally responsible approach to energy management, An, Paul, R. C.
hemical process hemicals oal oal devolatilization oal drying ombustion tube experiments	237 195 251 251 325	enviroment Environmentally responsible approach to energy management, An, Paul, R. C. equation oriented
hemical process hemicals oal oal devolatilization oal drying ombustion tube experiments ompositional analysis	237 195 251 251	enviroment Environmentally responsible approach to energy management, An, Paul, R. C. equation oriented equation of state
hemical process hemicals oal oal oal devolatilization oal drying ombustion tube experiments ompositional analysis Computational fluid dynamics applied to the analysis of	237 195 251 251 325	enviroment Environmentally responsible approach to energy management, An, Paul, R. C. equation oriented equation of state estimating diffusivities
hemical process hemicals hemic	237 195 251 251 325 325	enviroment Environmentally responsible approach to energy management, An, Paul, R. C. equation oriented equation of state estimating diffusivities Evaluation of simple and complex models for mass transfer in
hemical process hemicals oal oal devolatilization oal drying ombustion tube experiments ompositional analysis Computational fluid dynamics applied to the analysis of deoiling hydrocyclone performance, Hargreaves, J. H. and Silvester, R. S.	237 195 251 251 325	enviroment Environmentally responsible approach to energy management, An, Paul, R. C. equation oriented equation of state estimating diffusivities Evaluation of simple and complex models for mass transfer in the non-isothermal gas adsorption of multiple adsorbates in
hemical process hemicals oal oal oal devolatilization oal drying ombustion tube experiments ompositional analysis Computational fluid dynamics applied to the analysis of deoiling hydrocyclone performance, Hargreaves, J. H. and Silvester, R. S. Computational Fluid Dynamics and its application in the	237 195 251 251 325 325 365	enviroment Environmentally responsible approach to energy management, An, Paul, R. C. equation oriented equation of state estimating diffusivities Evaluation of simple and complex models for mass transfer in the non-isothermal gas adsorption of multiple adsorbates in a single adsorbent particle, O'Shea, J. D. and Liapis, A. I.
Silvester, R. S. Computational Fluid Dynamics and its application in the process industries, Sharratt, P. N.	237 195 251 251 325 325 365	enviroment Environmentally responsible approach to energy management, An, Paul, R. C. equation oriented equation of state estimating diffusivities Evaluation of simple and complex models for mass transfer in the non-isothermal gas adsorption of multiple adsorbates in a single adsorbent particle, O'Shea, J. D. and Liapis, A. I. exchanger
hemical process hemicals oal oal devolatilization oal drying ombustion tube experiments ompositional analysis Computational fluid dynamics applied to the analysis of deoiling hydrocyclone performance, Hargreaves, J. H. and Silvester, R. S. Computational Fluid Dynamics and its application in the process industries, Sharratt, P. N. omputational fluid mechanics for mixing	237 195 251 251 325 325 365	enviroment Environmentally responsible approach to energy management, An, Paul, R. C. equation oriented equation of state estimating diffusivities Evaluation of simple and complex models for mass transfer in the non-isothermal gas adsorption of multiple adsorbates in a single adsorbent particle, O'Shea, J. D. and Liapis, A. I. exchanger Experimental and modelling studies on the phase behaviour of
hemical process hemicals oal oal devolatilization oal drying ombustion tube experiments ompositional analysis Computational fluid dynamics applied to the analysis of deoiling hydrocyclone performance, Hargreaves, J. H. and Silvester, R. S. Computational Fluid Dynamics and its application in the process industries, Sharratt, P. N.	237 195 251 251 325 325 365	enviroment Environmentally responsible approach to energy management, An, Paul, R. C. equation oriented equation of state estimating diffusivities Evaluation of simple and complex models for mass transfer in the non-isothermal gas adsorption of multiple adsorbates in a single adsorbent particle, O'Shea, J. D. and Liapis, A. I. exchanger

F		Industrial needs for mixing research, Smith, J. M.	3
fast reactions	51	industry	237
feed distribution	51	Influence of adsorption in electrochemical reaction modelling,	
fermenters	287	The, Scott, K.	537
film flow	307	in situ combustion	342
film thickness	271 161	in situ combustion processes interfacial tension	325 325
filtration	483	interfacial turbulence	84
fixed beds Flight-free vibrating conveyor: Part 1. Basic theory and	403	isoelectric focusing	278
performance analysis, The, Nedderman, R. M. and Harding,	123	isotistic rousing	2,0
G. H. L. Flight-free vibrating conveyor: Part 2. Stability analysis and	143	v	
criteria for optimal design, The, Harding, G. H. L. and Nedderman, R. M.	131	K kinetics	342
flotation	154	Kinetics of <i>in situ</i> combustion of Athabasca tar sands studied in a differential flow reactor, Dubdub, I., Hughes, R. and	
Flow generated by a disc turbine. Part I-Experimental,		Price, D.	342
Ranade, V. V. and Joshi, J. B.	19	K-model	34
Flow generated by a disc turbine. Part II—Mathematical			
modelling and comparison with experimental data, Ranade,			
V. V. and Joshi, J. B.	34	L	
and the same of th	19, 34	laser diffractometry	172
flowsheeting	418 503	laser-Doppler anemometer	19
fluidized bed fluidized bed combustion 19.	5, 251	limiting current	295
foams	271	liquefaction	523
fractals	177	liquid extraction	429
Free convection mass transfer in hemispherical cavities,		liquid hold-up	271
Sedahmed, G. H. and Nirdosh, I.	295	liquid-liquid extraction	74
free-flow cell	278	liquid-liquid interface	84
free surface	189	local molar fraction model	93
friction	123		
froth	154		
		M	0.4
6		Marangoni number mass transfer 74, 161, 189, 287, 295, 503,	84
G gas adsorption	429	mass transfer 74, 161, 189, 287, 295, 503, Mass transfer at a free surface in stirred tank bioreactors,	, 510
gas hold-up	202	Kawase, Y. and Moo-Young, M.	189
gas injection	307	Mass transfer from single drops in rotating disc, pulsed sieve	107
gas-liquid	287	plate and packed liquid-liquid extraction columns, Bahman-	
gas-liquid processing	57	yar, H., Chang-Kakoti, D. K., Garro, L., Liang, T-B. and	
gas-liquid reactors	516	Slater, M. J.	74
gas-solid reaction model	547	Mass transfer in gas-liquid, multiple-impeller stirred vessels: A	
generalized chart	391	discussion about experimental techniques for $K_L a$ measure-	200
Generalized correlation for prediction of gas diffusion coefficients based on the corresponding states principle,	***	ment and models comparison, Nocentini, M. Mass transfer and interfacial turbulence in a laminar film: Study	287
Bueno, J. L., Dizy, J., Alvarez, R. and Coca, J.	391	of transferring two solutes separately and simultaneously	
Generation of heat in composite catalytic materials in RF fields, Ovenston, A. and Walls, J. R.	530	through liquid-liquid interface, Zhang, S. H., Wang, Z. M. and Su, Y. F.	84
glyoxylic acid	537	mass transport	537
gay and account to the contract of the contrac		mathematical modelling	34
		maximum	131
H		Method for the characterisation of colloidal gas aphron disper-	
handling 12	13, 131	sions, A, Amiri, M. C. and Woodburn, E. T.	154
heat	263	micromixing	51
heat integration	221	mixers	149
heat transfer	483	Mixing 12	7
heat of vaporisation Heat of vaporisation and the solute-solvent interaction par-	185	mixing 3, 287, 387	, 457
ameters for predicting the effect of dissolved solute on the		mixing effects on chemical reactions Mixing of thermally stratified fluids by injecting a series of	,
vapour liquid equilibrium of solvent mixtures, Tan, T. C.	185	vortex rings—a numerical simulation, Latto, B., Papple, M.	
helical	263	L. C., Shoukri, M. and Baird, M. H. I.	457
hemispherical cavities	295	mixing time	516
highly viscous Newtonian fluids	63	model adaptation	407
holdup	139	modelling 287, 483	, 537
hydrocarbon system	316	Modelling of tubular fixed-bed catalytic reactors: a brief	
hydrodynamics	516	review, Feyo de Azevedo, S., Romero-Ogawa, M. A. and	402
Hydrodynamics of a gas-liquid reactor stirred with a multi-		Wardle, A. P.	483
impeller system, Abrardi, V., Rovero, G., Baldi, G., Sicardi, S. and Conti, R.	516	model verification modified column	13 453
Sicardi, S. and Conti, R.	310	Modified NRTL model for predicting the effect of dissolved	433
		solute on the vapour-liquid equilibrium of solvent mixtures,	
1		A, Tan, T. C.	93
image reconstruction	177	multicomponent	453
immersed cylinder	510	multicomponent adsorption	242
Improved model of particle motion in cascading rotary dryers,		multiphase mixing	3, 7
An, Matchett, A. J. and Sheikh, M. S.	139	multiple mixers	516
industrial needs	3	multivariable control	464

INDEX TO VOLUME 68, (PART A), 1990 573 propane-butane adsorption 242 316 protein separation 278 New column for measurement of multicomponent distillation pulsed liquids 69 design efficiences, A, Biddulph, M. W. and Kalbassi, M. A. 453 pulsed sieve plate contacter P.V.T. 74 547 325 464 pyrolysis 251 189 3 Note on a non-catalytic gas-solid reaction model, A, Villa, L. 547 483 radiation 69 radio frequency 530 93 325 reaction rate model 457 325 reaction rate parameters reactors 483 reforming 530 Relative permeabilities for the gravity stable displacement of 350 307 waterflood residual oil by gas, Foulser, R., Naylor, P. and 307 357 Seale, C. 161 523 resaturation 365 Research and development activity at the Petroleum Science On the phase location and rate of volatiles combustion in and Technology Institute, Brown, S. and Freeth, A. 384 bubbling fluidized bed combustors, Stubington, J. F. and residence time 139 195 retrofit 211 On the simultaneous optimal design and operation of batch rotary dryer 139 rotating disc contacter (RDC) distillation columns, Logsdon, J. S., Diwekar, U. M. and 74 357 434 rotating ring-disc electrodes optimal design and operation 434 Optimal mixing conditions for a steady-state bioreactor with substrate limited microbial growth, Nishiwaki, A., Dunn, I. 387 scale-up of mixing 445

optimisation	221	Schlieren system	84
	221	selectivity	51
Optimisation of process changes and utility selection in heat		semi-batch	115
integrated processes, The, Linnhoff, B., Smith, R. and	221	separation processes	429
Williams, J. D.		shear thickening	550
optimization	523	shear thinning	550
orifices	69	sieve trays	445
orthogonal collocation	104	simulated counter-current adsorption	104
oscillatory shear	550		8, 403
oxalic acid	537	Simulation of the isoelectric focusing process in a recycling	
		free-flow cell, Poux, M., Biscans, B. and Bertrand, J.	278
P		Simulation of the performance of a continuous counter-current	=
	510	adsorption system by the method of orthogonal coilocation	
	74	with non-linear and interacting adsorption isotherms,	
packed columns			104
parallel computation	418	Hidajat, K. and Ching, C. B.	104
k .	131	Simulation of reactive precipitation in a semi-batch crystallizer,	116
particle size distribution	172	Tavare, N. S. and Garside, J.	115
particulates	139	Simulations of dispersion phenomena in filter cake washing,	161
Performance improvement of tubular heat exchangers by helical		Wakeman, R. J. and Attwood, G. J.	161
baffles, Lutcha, J. and Nemcansky, J.	263	Simulation strategies for design and analysis of complex chemi-	
Perspectives on computer aided process engineering, Winter, P.	403	cal processes, Gani, R., Perregaard, J. and Johansen, H.	407
phase behaviour 316, 325	, 350	simulation strategy	407
pH gradient	278	simultaneous optimisation strategy	434
pinch technology	211	slurry	523
point efficiency	453	Slurry shale process optimization and reactor design, Jones,	
pore structure	177	G. L. and Patzer II, J. F.	523
porous media	161	solute-solvent interaction parameters	185
powder mixers	149	solvent selection	429
power consumption	63	souring	357
	, 115	sparging	69
predictive model	93	sprays	172
Preliminary study of steam-caustic process for heavy oil	13	stability	154
	350	stable cavities	63
recovery, A, Adewusi, V. A.	211	steady-state height	271
pressure drop	211		407
Pressure drop considerations in the retrofit of heat exchanger		steady state simulation	350
networks, Polley, G. T., Panjeh Shahi, M. H. and	211	steam-caustic process	350
Jegede, F. O.	211	steam drive	189
Procedure for the design and optimisation of sieve trays, A,		stirred tank bioreactor	
Ogboja, O. and Kuye, A.	445	stirred tank reactors	51
process changes	221	stirred tanks	57
process design	403		19, 34
process simulation	418	stirrer flow-patterns	57
Process simulation using parallel computers, Best, R. J.	418	stratification	457
Productivity of micromixing-controlled reactions: Effect of feed		structure	154
distribution in stirred tanks, The, Bourne, J. R. and		Structure and force transients of bubble shedding from rotating	
Hilber, C. P.	51	stirrers, Pearse, B. A. and Thomas, N. H.	57
Trans IChemE. Vol. 68. Part A. November 1990			
Train Is henry vol. of Part A. November 1990			

N₂-injected

non-catalytic nonlinear control

NRTL model

oil displacement

oil reservoirs

oil shale

non-Newtonian media

non-Newtonian mixing

numerical simulation

oil relative permeability

oil-water separation

Chan, S. W.

Biegler, L. T.

J. and Bourne, J. R.

optimal sieve tray designs

T. and Quiroga, O. D.

sulphur	154	REGULAR FEATURES	
superimposed shear	550		
surface aeration	189		, 560
synfuels	523	Contents of the Canadian Journal of Chemical Engineering 112, 208, 304, 399	470
T		Doctorates in Chemical Engineering 1988–90	205
tanks-in-series model	387	List of Referees 1989	111
time-dependence	550	List of Referees 1990	568
Towards a fractal computer graphic basis for characterisation of catalyst pore structure by image reconstruction, Mann, R.		List of Motorood 1990	500
and Wasilewski, M. C.	177		
transputers	418	BOOKS REVIEWED	
Transverse dispersion in granular beds: part III—mass transfer around particles dispersed in granular beds of inerts and the		Biotechnology and food industry. J. Hallo and D. Torley (eds)	
combustion of carbon particles in beds of sand, Pinto, A. M.		(Akademiai Kiado). Reviewed by A. T. Jackson.	109
F. R. and Guedes de Carvalho, J. R. F.	503	Catalysis of organic reactions. Dale W. Blackburn (ed) (Marcel	
Transverse dispersion in granular beds: part IV—mass transfer		Dekker Inc.). Reviewed by P. Sunderland.	398
around an active cylinder with the axis perpendicular to the		Catalyst handbook. M. V. Twigg (ed) (Wolfe). Reviewed by	
flow direction in a packed bed, Burmester, S. S. H., Coelho,		J. R. Walls.	109
M. A. N. and Guedes de Carvalho, J. R. F.	510	Chemical hazards in the workplace. Ronald M. Scott (Lewis	
tray efficiency	453	Publishers). Reviewed by Martin J. Pitt.	564
tubular	263	Computer applications in fermentation technology: modelling	
turbulence	7	and control of biotechnological processes. N. M. Fish, R. I.	
turbulence structure	19	Fox and N. F. Thornhill (eds) (Elsevier Science Publishers).	
two solutes transfer	84	Reviewed by P. Dantigny.	477
		Internal Flow Systems, 2nd edition. D. S. Miller (Scientific and	
U		Technical Information). Reviewed by L. L. Simpson.	564
utility selection	221	Oilfield chemistry: enhanced recovery and production stimu-	
***************************************		lation. John K. Borchardt and Teh Fu Yen (eds) (American	
V		Chemical Society). Reviewed by K. S. Sorbie.	398
vapour liquid equilibrium 9	3, 185	,	
velocity	139		
ventilated cavities	57		
vibration 12	3, 131	CORRESPONDENCE	
viscous fluids	63		
viscous mixing	7	From K. Suaysompol, R. M. Wood, B. K. O'Neill and J. R.	
volatiles	195	Roach: Reply to S. Ahmad and R. Smith.	299
vortex rings	457	From G. S. Patience and J. Chaouki.	301

